

# FLITE

*POSITIVE PRESSURE DEMAND AIRLINE BREATHING APPARATUS*



# POSITIVE PRESSURE DEMAND AIRLINE/ESCAPE BREATHING APPARATUS

The Scott Safety Flite is a first breath activated positive pressure demand airline breathing apparatus with the option of hip mounted 10 minute compressed air cylinder supply for escape from the most hazardous environments. Ideal for extended working, restricted access areas, working in confined spaces, with the reassurance of an emergency supply of air.



- **FLITE**

In its simplest form, provides the user with breathing air from a medium pressure airline. It consists of a lightweight, easy to don bandolier harness with padded shoulder strap, a pigtail connection with safety locking coupling, a Tempest positive pressure demand valve with first breath activation and hands-free bypass facility.

As the equipment is positive pressure, it provides the user with the highest possible protection factor allowing Flite to be used in IDLH (Immediately Dangerous to Life and Health) and oxygen deficient environments.

Flite apparatus can be used with Scott positive pressure face masks e.g. Promask PP and Vision 3.

- **FLITE ESCAPE**

With airline breathing apparatus the user's safety is dependent upon outside influences – the airline supply could become disrupted. Flite includes the option of an escape cylinder that can be added to the unit at any time. This serves as an important additional safety benefit to safeguard against a failure of the airline supply.

Flite Escape is widely used by people working in confined spaces or hazardous environments, such as the oil and gas industry, where levels of H<sub>2</sub>S can be extremely high. A 10 minute steel cylinder is available for this option.


## PRODUCT FEATURES:

- Simple operation
- Adjustable and padded webbing bandolier harness for comfort and safety
- Used with Scott Safety Promask PP or Vision 3 full face masks
- Optional hip mounted escape cylinders
- Mask and cylinders purchased separately
- Certified to AS/NZS 1716:2012

Adjustable and padded  
bandolier harness

Certified to  
AS/NZS 1716:2012

Optional hip mounted  
escape cylinder



CEN coupling  
airline hose  
connection

## FULL FACE MASKS & CYLINDERS



The Scott Safety Promask PP (Positive Pressure) LQF (Left Quick Fit) Full Face Mask is manufactured from halo-butyl (non-dermatitic). The Promask features a wide lens for extended field of vision. The front mounted speech diaphragm provides easy communication.



The Scott Safety Vision 3 positive pressure, left quick fit full face mask features a unique Toroidal visor for unparalleled and improved vision. The Vision 3 features a multi-curvature visor made of scratch and impact resistant polycarbonate material with a scratch resistant coating providing excellent panoramic vision.



The Scott Safety Flite escape cylinder is a 10 minute, 2 litre 200 bar steel cylinder.



### FULL FACE MASK

Scott Safety Full Face Masks (Promask PP or Vision 3) used with the Scott Safety Flite Airline/Escape Breathing Apparatus have a high performance demand valve ensuring that positive pressure is maintained within the facepiece, thus providing the highest level of respiratory protection.

### SERVICING & MAINTENANCE

Scott Safety treats the role of after sales support very seriously offering a comprehensive level of technical support and certified training courses for wearers, instructors and service technicians.

This is backed up through a global network of regional support centres and distributors around the world.

For queries regarding the location of our service centres visit [www.scottsafety.com](http://www.scottsafety.com) or call customer services on 131 772.



Scott Safety, a business unit of Tyco International, is a premier manufacturer of innovative respiratory and other personal protective equipment and safety devices for industrial workers, fire and rescue services, police, military and civil defence organisations around the world. The Scott Safety product lines include self-contained breathing apparatus, supplied air and air-purifying respirators, gas detection instruments, thermal imaging cameras, air compressors, accountability systems, head, eye, hearing and face protection.

## SPECIFICATIONS & ORDERING INFORMATION

### FLITE AIRLINE/ESCAPE BREATHING APPARATUS

#### Ordering Information

Part Number	Description
1047792	Flite Airline Breathing Apparatus
013190	Promask PP Left Quick Fit (LQF) Full Face Mask
1071671	Vision 3 Left Quick Fit (LQF) Full Face Mask
2006648	Cylinder 2L 200 bar steel (10 min escape)

Note: Face Mask and Cylinders are purchased separately. Cylinders are supplied uncharged/empty

#### Product Specifications

##### Weight

Flite (less cylinder): 2.5kg

Flite (with 10 minute cylinder: 6.0kg

##### Dimensions

Flite (less cylinder): 40 x 20 x 16 cm

Flite (with 10 minute cylinder: 56 x 21 x 18 cm

Scott Safety has developed a number of different documents to aid selection of escape apparatus. Technical Data Sheets are available for each Scott Safety product. Please contact our Customer Service Department on 131 772, email [scott.sales.anz@tycoint.com](mailto:scott.sales.anz@tycoint.com) or visit [www.scottsafety.com](http://www.scottsafety.com) for further information.

#### Australia: Scott Safety\*

PO Box 876, Guildford, NSW 2161, Australia

Phone: 131 772 Fax: 1800 651 772 Email: [scott.sales.anz@tycoint.com](mailto:scott.sales.anz@tycoint.com)

\* Scott Safety is a division of Rindin Enterprises Pty Limited ACN 089 330 914

#### New Zealand: Scott Safety

Private Bag 93011, New Lynn, Auckland, New Zealand

Phone: (64 9) 826 1716 Fax: (64 9) 827 2288

Email: [scott.sales.anz@tycoint.com](mailto:scott.sales.anz@tycoint.com)