

DATASHEET

LARGE STEEL SG



GENERAL

Art.Nr:	H-305-SG
GTIN:	8056734835380
E-class number:	40-21-07-12
Customs tariff number:	73269098

Standards:	EN 362-M:2004
Net weight:	0.25 kg
Gross weight:	0.25 kg

DATASHEET

LARGE STEEL SG

Galvanised-steel connector with large-capacity base and screwgate, sturdy and versatile, ideal for harsh environments and for the connection of multiple devices.

Main features:

- wide opening and large internal capacity;
- robust profile for excellent strength;
- equipped with catch-free closure for effortless clipping.

FEATURES

Application areas: Various, Arborists, Elevator construction, Emergency, Facades cleaning, Work on roofs and facades, High Rack storage, High ropes courses, Tactical approach, Mobile platforms, Mobile Work Platforms, Off Shore Industry, Rope access, Rescue, Roofers, Route construction, Scaffolding, Shaft, Steelwork, Working on masts and towers, Wind energy, Working in confined spaces

Colour:	Silver
Swivel:	No
Carabiner properties:	Corrosion resistance
Fallindicator:	No
Gate opening:	25 mm
MBS MAJOR AXIS:	50 kN
MBS GATE OPEN:	20 kN
MBS MINOR AXIS:	15 kN
Form fit:	Key Lock
Carabiner type:	Type M (EN 362: 2004)
Maximum lifetime:	30 years
Minimum temperature:	-35 °C
Maximum temperature:	45 °C

DATASHEET

LARGE STEEL SG

Standard ANSI:	No
Standard CSA:	No
UIAA compliance:	No
Anti-twist device:	No
Carabiner clasp:	Screwlock

MATERIAL

Material:	Steel
-----------	-------